


Product Catalogue 2025

Sophisticated and functional designs made easy.



Spirit 111 by Spirit Yachts Photo: Spirit Yachts / Waterline Media

Welcome to Fastmount panel mounting solutions.

Panel mounting solution: PC-F1A - ceiling panel PC-M2H - ceiling substrate LP-F8 - wall panel

LP-M8A - wall substrate MC-M5 - floor panel MC-F5 - floor substrate Designed for removable panels in the marine, architectural, furniture and RV industries, the award winning Fastmount hidden mounting system delivers a flawless finish with perfect alignment every time.

The secret to Fastmount is the unique range of hidden clips ideal for secure fastening of removable panels. With Fastmount, interior panels can be easily removed and refitted in any sequence, time after time.

Combining speed, versatility and accuracy, the Fastmount system enables designers, installers and contractors to re-think the panelling process.

Whether you're mounting ceiling panels to wooden framework, heavyweight wall panels to aluminium profiles, or outdoor cushions to a seat, Fastmount has a hidden mounting system to suit your needs.

Fastmount is the original panel mounting solution designed to perform on sea, land and in the air. All of our systems are real world and third-party tested. Applications of use are only limited by your imagination. Ranellir limited imagination. Jr







Easily Removed Less Downtime



•

BENEFITS

- No visible fixings
- · Allows for repeated removal and replacement of panels
- Eliminates panel damage install panels during final build stages
- Variety of mounting options self tapping, glue and screw fix
- Allows for panel flex and expansion
- Provides cavities for services and enhanced acoustics

APPLICATIONS

- Ceilings, walls, feature panels, furniture and upholstery
- Access, inspection and ventilation panels
- Interior and selected exterior applications
- Upholstered, painted, prefinished, composite and acoustic panels
- Mounts into a wide variety of substrates e.g. GRP, composite, honeycomb, aluminium
- New build, refit and upgrades

CONTENTS

Standard PC Range	5
Low Profile LP Range	7
Very Low Profile VL Range	9
Metal MC Range	11
Stratlock SL Range	13
PanelSafe PS Range	15
Textile TC Range	17
Fastmount Tools Range	19

Panel mounting solution: PC-F1A - substrate PC-VMX - panel

S/Y Ngoni, Royal Huisman Photo: Breedmedia

The Standard range, for a finish that's anything but standard.

Panel mounting solution: PC-F1A - substrate PC-M2H - panel



STANDARD PC RANGE

The Standard Range offers hidden panel mounting solutions for a variety of applications, and includes self-tapping, screw and adhesive fix options. Pull-out loads vary from 5-15kg/11-33lb, depending on the male clip used. The Standard Range is ideal for mounting wall and ceiling panels where the standoff between frame and panel does not need to be kept to a minimum. Male and female clips are interchangeable within the range.

Common uses: Wall and ceiling panels, acoustic panels, prefabricated panels and seat backs.



PC-M1B STANDARD CLIP SELF TAPPING MALE

PC-SM2H STANDARD CLIP,

SURFACE MOUNT

PC-DC1

PC-VMX







PC-VM1 STANDARD CLIP. VARIO SELF TAPPING MALE

SURFACE MOUNT

PC-F1A STANDARD CLIP,

SELF TAPPING

FEMALE

PC-SM2 STANDARD CLIP,

MALE

STANDARD CLIP, VARIO SELF TAPPING MALE EXTRA HEAVY DUTY

PC-SVMX STANDARD CLIP. VARIO SELF TAPPING EXTRA HEAVY DUTY







SURFACE MOUNT MALE

PC-SM1AC

STANDARD CLIP, TRANSLUCENT SURFACE MOUNT ACCOUSTIC MALE

MALE HEAVY DUTY STANDARD CLIP, CONCRETE ANCHOR

PC-SF1 STANDARD CLIP. SURFACE MOUNT FEMALE



PC-AF1 STANDARD CLIP. AUTO FIT FEMALE

6





STANDARD CLIP, SIDE MOUNT











LOW PROFILE LP RANGE

The Low Profile Range offers self-tapping, screw and adhesive fix clips for mounting wall panels that require less space between panel and substrate. Available in 5-15kg/11-33lb pull out loads depending on the male clip used.

The Low Profile Range is ideal for mounting wall panels, with female clips specifically designed to self-tap into curved substrates, drywall and MDF or foam core.

Common uses: Mounting decorative wall panels to drywall substrates, curved panels to curved walls, and non-upholstered panels to walls.



LP-M8A LOW PROFILE CLIP, SELF TAPPING MALE

LP-AF8A LOW PROFILE AUTO FIT FEMALE

LP-SM8AS LOW PROFILE CLIP, SURFACE MOUNT MALE

LP-SM8H LOW PROFILE CLIP, SURFACE MOUNT MALE



LP-SMX LOW PROFILE SURFACE MOUNT MALE HEAVY DUTY

LP-F8 LOW PROFILE CLIP,

SELF TAPPING FEMALE

LOW PROFILE CLIP. SELF TAPPING COARSE THREAD FEMALE





VERY LOW PROFILE VL RANGE

The Very Low Profile Range offers the least space between panel and substrate, and is suited to very thin substrates and/or panels with no special tools required for installation. Clips can be recessed, screw, rivet or adhesive fixed. Pull-out loads vary from 5-10kg/11-22lb per clip set, with a certified fire-rated version available.

Common uses: Thin upholstered plywood panels, signage, aluminium honeycomb panels.



VL-M3 VERY LOW PROFILE MALE CLIP



VL-M3FR VERY LOW PROFILE FIRE-RATED MALE CLIP



VL-F3 VERY LOW PROFILE FEMALE CLIP

VL-F3H VERY LOW PROFILE

HEAVY DUTY FEMALE CLIP

VL-F3FR VERY LOW PROFILE FIRE-RATED FEMALE CLIP



VERY LOW PROFILE EXTRA HEAVY DUTY



VL-M3X


10

Baltic 108 WINWIN Photo: Jeff Brown

Heavy-duty, with fire-resistance.

When you have a heavy duty application that requires fire rating plus heavy load bearing, the Fastmount Metal Range is up to the job. Able to hold up to 50kg per m², heavy panels can be mounted accurately and safely.

> Panel mounting solution: MC-M5 - floor panel MC-F5 - substrate



METAL MC RANGE

The Metal Range is recommended for more heavy-duty applications that require a robust hidden fixing. Self-tapping, screw or rivet and self-adhesive fix options are available, with pull-out loads of 5kg/11lb or 10kg/22lb depending on clips used. Stainless Steel clip set (patent pending) has been designed for high fire resistance and durability, and can be used on ceiling and wall panels.

Common uses: heavyweight wall and ceiling panels, fire-rated panels and egress paths, metal panels.









MC-NPF10 NICKEL PLATED CLIP FEMALE









METAL CLIP SELF



MC-F5 METAL CLIP SELF TAPPING FEMALE



METAL CLIP SELF TAPPING FEMALE







-

1111

IIII



STRATLOCK SL RANGE

The Stratlock Range is a heavy-duty panel mounting solution for mounting heavy interior panels onto aluminium U channel, timber battens, Stratlock Rail or direct onto plywood, designed specifically for the contract interior fitout industry. With no special installation tools required, the Stratlock Range is a hidden fixing that installs rapidly into the framework and panel, provides supported adjustment of the panel before locking into place, and boasts our highest shear strength and pull out load of 40lb.

Typical applications include: Heavy wall and ceiling panels in the interiors of hotels, hospitals, retail and residential.



FRAMEWORK

STRATLOCK FEMALE

FLUSH MOUNT CLIP

STRATLOCK MALE

SL-C-WC90-FR

WALL TO CEILING

STRATLOCK

CONNECTOR

SL-RCAB180

ADJUSTABLE CONNECTOR FOR STRATLOCK RAIL

WALL TO WALL

SL-FC

SL-M10

CLIP 10KG

SL-FA-FR STRATI OCK FEMALE FIRE RATED SIDE MOUNT CLIP

SL-SFA-FR

SL-M18

CLIP 18KG

FEMALE FIRE RATED

SIDE MOUNT CLIP FOR

TIMBER FRAMEWORK

SL-FB1 STRATI OCK FEMALE FRONT MOUNT CLIP

> SL-FB1-FR STRATLOCK FEMALE FRONT MOUNT CLIP FIRE RATED

SL-FC-FR STRATLOCK FEMALE FIRE RATED FLUSH MOUNT CLIP

SL-M18-FR STRATLOCK MALE CLIP 18KG FIRE RATED

SL-SMT1

MOUNT

STRATLOCK SIDE

SL-RCF90

STRATLOCK 90° RAIL CONNECTOR

EXTRUSION



SL-C-WW90-FR

STRATLOCK MALE

SL-RLE







STRATLOCK RAIL





Panel mounting solution: SL-M18FR - ceiling panel SL-RLE + SL-RCF90 + SL-FA-FR - substrate



Seismic restraint providing added security and control. The panel is suspended below the ceiling for convenient servicing behind the panel or controlled removal of the panel by releasing the wire.



PANELSAFE PS RANGE

PanelSafe restraint systems provide added security and control to panel removal.

With the use of the PanelSafe, a panel can be suspended below the ceiling for convenient servicing behind the panel or controlled removal of the panel. Suitable for use with the PC, LP, VL, MC and SL clip ranges.

Ideal for: Inspection panels, large and/or heavy ceiling panels. To ensure quality installation and performance, installation and removal tools are available.

Note: Custom products have a three week lead time.



Soft furnishings, fitted hard and fast.


CLOB AND AVE & B INC.

GALEON

600

Panel mounting solution: TC-F6H - soft textile TC-M6 - deck

The states



TEXTILE TC RANGE

The Textile Range is designed for mounting soft textiles to fabrics and hard surfaces in both interior and exterior settings with clip sets holding up to a 32kg/70lb break out load. Utilising a simple slide lock system, the Textile Range offers hidden and secure cushion fastening.

Typical applications include: Sun loungers, exterior cushions on superyachts, seat bases and backs. Patent Pending.

TEXTILE TC UPHOLSTERY RANGE



Photograph: Galeon Yachts

18

TC-SM6S

SEW ON

TC-CF3 CARPET CLIP

FEMALE

TEXTILE CLIP MALE,



Extra heavy duty mounting, made simple.

Panel mounting solution: PC-SF1 - substrate THE REAL PROPERTY AND A RE PC-SVMX - panel Sales and A Test In.

FASTMOUNT TOOLS RANGE

To achieve a quality installation and perfect finish with mounted panels, use the appropriate installation and removal tools below for the different clip ranges.

CP-08ST

MC-SSCP

CT-09DG

DRILL BIT

CT-07

DRILL

CT-22

CT-19

DRILL GAUGE

LOW PROFILE CLIP

STAINLESS STEEL CLIP

FOR USE WITH CT-09

CARBIDE TIP STEP

TAP FOR MALE TAP

INSTALL TOOL LOW

PROFILE RANGE

(ALUMINIUM)

CT-18DG

FOR MALE SELF-

TAPPING CLIPS

CENTRE POINT

CENTRE POINT





CT-09 PANEL DRILL 10MM FORSTNER TYPE

CT-15 TAP FOR PC-F1A

CT-05H

PANEL REMOVAL

TOOL WITH HOOK

CT-10 INSTALL TOOL SELF TAPPING MALE CLIPS (ALUMINIUM)

MC-IT5 INSTALL TOOL FOR METAL CLIPS

DRILL GUIDE INSTALLATION JIG CT-17 PANEL REMOVAL

TOOL PAINTED PANEL

(GLASS SUCKER 40KG)

CT-05 PANEL REMOVAL TOOL







CT-08 YARD KIT 6 TOOLS



CT-01 DRILL 10MM WITH SHOULDER

VL-CP3

TC-CP6H

CP-02ST

VERY LOW PROFILE

CENTRE POINT

TEXTILE RANGE

CENTRE POINT

STANDARD RANGE

MALE CENTRE POINT

CT-13A CARBIDE TIP STEP DRILL - 16.8 DIA FOR PC-F1A

CT-03

INSTALL TOOL FOR PC-F1A

CT-12 31MM HSS COUNTERSINK DRILL BIT

20



6

6

AUTHORISED DISTRIBUTORS

AUSTRALIA MarineWare +61 (07) 5502 8966

Konnect Fastening Systems +61 (07) 3291 8200 BAHRAIN, KUWAIT.

SAUDI ARABIA & UAE Exalto Emirates LLC +971 (0)6 545 3366

BELGIUM Domarine +33(6)72 808 185

Kroon B.V. +31 (0) 598-858585

BRAZIL I-Sea +5511 9 9922.5505

CANADA Western Marine +1 604 253 3322

Sugatsune Canada Inc +1-514-312-5267

CHILE Rce latam +56 9 3467 9401

CHINA Sugatsune Shanghai +86-21-3632-1858 extn 802

CROATIA Yachthings +385 52 63 56 15

CZECH REPUBLIC Bovelo Trading Sro + 420 733 234 476

DENMARK HF Industri & Marine +45 6220 1312

ESTONIA Gamma Baltic OÜ +372 6459757

FINLAND MarineMan Oy +358 10 4235220



FRENCH CARRIBEAN Domarine +33(6)72 808 185

GERMANY Lindemann +4940 2111 97 800

GREECE VIOTAP +30 210 24 65 510

HUNGARY Kerimpex Kft. +36 1 3330010

INDIA Sugatsune Kogyo India +91-22-2831-4490 & 4491

IRELAND Panel Mounting Systems & Architectural Components +44 28 411 23284

ISRAEL Multitech Hardware Line Ltd +972 525 122188

ITALY, AUSTRIA, SWITZERLAND & LIECHTENSTEIN Promotech Italia Srl +39 0584 55 026

> JAPAN Sugatsune Co Ltd +81 (03) 3866-2267

KOREA Young & Sun Int'l Inc. +82 31 716 7994

LATVIA Gamma Fittings SIA +371 25606633

LITHUANIA UAB Furnitanas +37052323052 NETHERLANDS Kroon B.V.

+31 (0) 598-858585 **NEW ZEALAND** Fastmount HQ

+64 21 502 895 **POLAND**

Nowacore +48 504 071 930

SINGAPORE Beltiston Ventures Pte Ltd +65 6367 3148

SOUTH AFRICA Dynamic Supply Systems (DSS) +27 (0)82 387 5324

SPAIN Riviera Trade +34 606 959 967

SWEDEN HF Marin Sweden AB +46 550 77 11 11

TAIWAN Asia Connect +886 07 2229224

THAILAND Brand House Asia +66 (0)76527 772

TURKEY Neva Marine +90 (216) 447 0600

UK Sugatsune Kogyo(UK) Ltd +44 (0) 1189 272 955

UKRAINE Mebelnye Technology +380444923000

USA Spradling Int'l (Marine) +1 800 967 7753

Sugatsune America (Furniture) +1 800-562-5267

Fastmount USA (Architectural) support@fastmount.com



For more information about our products, use cases and technical documents, please visit our website.

Find out more at fastmount.com



000



Panel mounting solution: PC-F1A - substrate PC-M1B - panel



FASTMOUNT PANEL MOUNTING SOLUTIONS

Our mission is to enable the creation of beautiful, elegant and functional design finishes for panels and furniture by simplifying the processes of installation, usage and removal of surfaces.

Fastmount panel mounting solutions ensure a perfect alignment and flawless finish, every time.

20 years experience, 130 million clips sold, global distribution network in 50 countries.

Visit fastmount.com to see new products, download CAD files or find your nearest distributor.



Proudly designed & manufactured in New Zealand

Copyright © 2025 Fastmount